



An AEP Company

2024 Residential Energy Improvement Program

Measure	Existing Condition	Minimum Requirement	Customer Incentives	
Duct Sealing	≤40% Total fan flow & >80 CFM25	>10% Reduction	Single Family: \$1.25/CFM Reduction Multifamily: \$1.75/CFM Reduction	
Duct Insulation	Failed insulation or no insulation installed (metal ducts only)	≥R-5.6	\$0.50/Linear ft. of insulated duct	
Air Infiltration	≤1.25 Air changes/hr & >building air tightness limit	≥10% Reduction at CFM50	Single Family: \$0.12/CFM Reduction Multifamily \$0.20/CFM Reduction	
Attic Knee Wall Insulation	No insulation installed	R-19	\$0.15/sq. ft. of knee wall insulated	
Wall Insulation	No insulation installed (vinyl siding)	R-13	\$0.15/sq. ft.	
Ceiling Insulation	Base R-value 0-<8	R-38	\$0.25/sq. ft.	
	Base R-value ≥8-22	R-38	\$0.12/sq. ft.	
CoolSaver HVAC Tune-Up	Central Air Conditioner, Heat Pump or Package unit (Excludes Geothermal)	CoolSaver Authorized Contractor, system > 1 year old	1.5–2.5 Ton \$150 3.0–5.0 Ton \$200	
Heat Pump Water Heaters	Electric Water Heater	ENERGY STAR® Certified	\$1,000	
ENERGY STAR Windows	Clear Glass Windows (without Low-E)	ENERGY STAR windows for climate zone installed	\$30/Window \$40/Half-lite door \$80/Sliding glass door	
ENERGY STAR Smart Thermostats	Manual or Programmable Thermostat	ENERGY STAR Certified	\$75	
AC Installation	≤13 SEER	15.2 SEER2 AC	SEER2	\$/Ton
			15.2 - 17.09	\$75
			17.1 - 19.94	\$150
Heat Pump Installation	≤13 SEER ≤ 7.7 HSPF	15.2 SEER2 / 7.25 HSPF2 / 3.6 COP Heat Pump, Mini-Split or Geothermal System	SEER2	\$/Ton
			15.2 - 17.09	\$250
			17.1 - 19.94	\$400
Electric Resistance to Heat Pump Conversion*	≤13 SEER	15.2 SEER2 / 7.25 HSPF2 / 3.6 COP Heat Pump, Mini-Split or Geothermal System	≥19.95	\$500
			\$600/Ton	

*Full System Replacement